

10607061

COCL

HESLIN ROTHENBERG FARLEY & MESITI P.C.

Robert E. Heslin
Jeff Rothenberg
Kevin P. Radigan
Susan E. Farley
Nicholas Mesiti
Philip E. Hansen*
Blanche E. Schiller
Wayne F. Reinke
David P. Miranda

*Patent Agent



INTELLECTUAL PROPERTY LAW PATENTS • TRADEMARKS • COPYRIGHTS

Attorneys at Law
5 Columbia Circle
Albany, New York 12203
Telephone: (518) 452-5600
Facsimile: (518) 452-5579
www.hrfmlaw.com

October 25, 2004

Kathy Smith Dias
Mary Louise Gioeni
David A. Pascarella
Victor A. Cardona
Lee Palmateer
John Pietrangelo*
Brett M. Hutton
Stephen M. Hladik
Edward Timmer
Alana M. Fuierer

Martha L. Boden
Jill M. Breedlove
Of Counsel

Certificate OCT 29 2004 of Correction

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Re: Correction of Mistake in Printed Patent
Under §1480 of the Manual of Patent
Examining Procedures
U.S. Patent No.: 6,804,966 B1
Date of Patent: October 19, 2004
Inventor(s): Chu et al.
IBM Docket No.: POU920020091US1
Our File No.: 0560.484

Dear Sir:

Upon proofreading the above-referenced patent, we noticed errors in the printed patent made by the Patent Office.

Transmitted herewith is a proposed Certificate of Correction effecting a corrective amendment.

The patentee respectfully solicits the granting of the requested Certificate of Correction.

Respectfully submitted,

Kevin P. Radigan, Esq.
Registration No. 31,789
Attorney for Applicants

KPR/cma
Enclosure

UNITED STATES PATENT AND TRADEMARK OFFICE

CERTIFICATE OF CORRECTION

PATENT NO : 6,804,966 B1

DATED : October 19, 2004

INVENTOR(S) : Chu et al.

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Specification:

Col. 3, line 64, delete the word "elavational" and insert --elevational--

Col. 5, line 49, insert a --. after the word "itself"

Col. 7, line 18, insert these words --invention and these-- after the word "the" in the second instance

MAILING ADDRESS OF SENDER: Kevin P. Radigan, Esq.

Heslin Rothenberg Farley & Mesiti P.C.
5 Columbia Circle
Albany, New York 12203
Telephone: (518) 452-5600

PATENT NO. 6,804,966

No. of additional copies



This collection of information is required by 37 CFR 1.322, 1.323, and 1.324. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 1.0 hour to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing the burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Attention Certificate of Correction, U.S. Patent and Trademark Office, P.O. Box 1450, Alexandria, VA 22313-1450.